

**Contact your Ben E. Keith DSR with any of your Equipment & Supply needs.**

**ELECTRIC COUNTERTOP FRYER  
Star (Middleby)  
Model 530TF**

(MIDDLEBY ESSENTIALS ITEM)  
(QUICK-SHIP) Star-Max® Fryer, electric, countertop, (2) stainless steel frypots, 15 lb. capacity per frypot, single basket per frypot, snap action thermostats with hi-limit safety, separate on/off switch, heavy duty knobs, stainless steel exterior, 4" legs, cULus, UL EPH Classified, Made in USA



**ELECTRIC COUNTERTOP FRYER  
Star (Middleby)  
Model 301HLF**

Star-Max® Fryer, electric, countertop, 15 lb. capacity, single stainless steel frypot, twin baskets, snap action thermostat with hi-limit safety, separate on/off switch, heavy duty knobs, stainless steel exterior, 4" legs, cULus, UL EPH Classified, Made in USA



**HOT DOG GRILL  
Star (Middleby)  
Model 50SCE**

Grill-Max® Hot Dog Grill, roller-type, stadium seating, Duratec® coated non-stick rollers, capacity 50 hot dogs, programmable electronic controls for front and rear zones, stainless steel construction, cULus, UL EPH Classified, Made in USA



**HOT DOG GRILL  
Star (Middleby)  
Model 45SC**

Grill-Max® Hot Dog Grill, roller-type, stadium seating, Duratec® coated non-stick rollers, capacity 45 hot dogs, analog controls for front and rear zones, stainless steel construction, cULus, UL EPH Classified, Made in USA



**HOT DOG GRILL  
Star (Middleby)  
Model 20C**

Grill-Max® Hot Dog Grill, roller-type, stadium seating, chrome-plated rollers, capacity 20 hot dogs, analog controls for front and rear zones, stainless steel construction, cULus, UL EPH Classified, Made in USA



**HEAT LAMP  
Winco  
Model EHL-2**

Professional Heat Lamp, electric, 19-1/2"L x 14-1/4"W x 23-1/2"H, free standing, 4 adjustable heights, includes (2) Shat-R-Shield® shatter resistant clear infrared 250W bulbs, 14 gauge aluminum frame, aluminum light hood, 120v/60/1-ph, cord, ETL-Sanitation, cETLus (Qty Break = 1 each)



---

**FOOD PAN WARMER, COUNTERTOP****Vollrath  
Model 71001**

Cayenne® Food Warmer, countertop, full size, 13-3/4"W x 21-3/4"D x 9"H, 6" deep well, recessed controls, capillary tube thermostat, dome heating element, low-water indicator light, black interior, stainless steel exterior, non-skid feet, 120v/60/1-ph, 700 watts, 5.8 amps, cord, NEMA 5-15P, cULus, NSF, Made in USA (Refer to vollrathfoodservice.com for full warranty policy)



---

**GAS FLOOR FRYER****Frymaster/Dean  
Model SR142G**

Dean® Super Runner Value Fryer, gas, floor model, 43 lbs. capacity, durable temperature probe, millivolt control system (requires no electrical hookup), includes: rack-type basket support, basket hanger & twin baskets, stainless steel frypot, front & door, aluminized sides, 6" adjustable steel legs, 105,000 BTU, CSA, NSF, TUV



---

**CONVECTION OVEN, GAS****Vulcan  
Model VC4GD**

Convection Oven, gas, single-deck, standard depth, solid state controls, electronic spark igniter, 60 minute timer, (5) nickel plated racks, 23-3/4"H legs with foot, stainless steel front, top & sides, stainless steel door with window, 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®



---

**CONVECTION OVEN, GAS****Vulcan  
Model VC44GD**

Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®



---

**RANGE, 36", 6 OPEN BURNERS****Vulcan  
Model SX36-6BN-QS-PLATINUM**

(Quick Ship) SX Series Restaurant Range, natural gas, 36", (6) 28,000 BTU burners with lift-off burner heads, standard oven, stainless steel front, sides, backriser & lift-off high shelf, 6" adjustable legs, 198,000 BTU, ETL-Sanitation



---

**HEATED HOLDING PROOFING CABINET, MOBILE****Vulcan  
Model VP18**

Proofing Heated Cabinet, mobile, non-insulated, (18) 18" x 26" x 1" sheet pans or (36) 12" x 20" x 2-1/2" steam table pans, fan & air tunnel, includes (10) pair of adjustable tray slides 3" OC, 1/2 gallon water pan, switch can be set to proof or set for heated holding up to 190° F, glass door, stainless steel construction, includes drip trough & removable drip pan, 5" casters; 2 swivel, 2 rigid with locks, 120v/50/60/1-ph, 2.0kW, cord with NEMA 5-20P, cULus, UL EPH



---

**GRIDDLE, GAS, COUNTERTOP****Vulcan  
Model VMG36**

Heavy Duty Griddle, countertop, gas, 36" W x 24 "D cooking surface, 1" thick polished steel griddle plate, (3) burners, 4" back & tapered side splashes, manual controls, (1) 6 quart grease drawer, stainless & aluminized steel chassis frame, 11-1/8" low profile cooking height on 4" adjustable legs, 81,000 BTU, cCSAus, NSF



---

**REACH-IN REFRIGERATOR****True Mfg. - General Foodservice  
Model T-23-HC**

Refrigerator, reach-in, one-section, (1) solid door, (3) PVC coated adjustable wire shelves, interior lighting, stainless steel door, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.2 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, ENERGY STAR®



---

**REACH-IN FREEZER**

**True Mfg. - General Foodservice**  
**Model T-23F-HC**

Freezer, reach-in, one-section, -10°F, (1) solid door, (3) PVC coated adjustable wire shelves, interior lighting, stainless steel door, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 3.7 amps, NEMA 5-15P, cULus, UL EPH Classified, ENERGY STAR®



---

**REACH-IN REFRIGERATOR**

**True Mfg. - General Foodservice**  
**Model T-49-HC**

Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®



---

**REACH-IN FREEZER**

**True Mfg. - General Foodservice**  
**Model T-49F-HC**

Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps, NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®



---

**SANDWICH / SALAD PREPARATION REFRIGERATOR**

**True Mfg. - General Foodservice**  
**Model TSSU-27-08-HC**

Sandwich/Salad Unit, (8) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (1) door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, aluminum back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



---

**SANDWICH / SALAD PREPARATION REFRIGERATOR**

**True Mfg. - General Foodservice**  
**Model TSSU-48-12-HC**

Sandwich/Salad Unit, (12) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top, front, sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.8 amps, NEMA 5-15P, cULus, UL EPH Classified Made in USA



---

**SANDWICH / SALAD PREPARATION REFRIGERATOR**

**True Mfg. - General Foodservice**  
**Model TSSU-60-16-HC**

Sandwich/Salad Unit, (16) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top/front/sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 6.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



---

**PIZZA PREPARATION REFRIGERATOR**

**True Mfg. - General Foodservice**  
**Model TPP-AT-60-HC**

Pizza Prep, 33 - 41°F pan rail, stainless steel cover, 19-1/2"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, includes: (8) 1/3 size clear polycarbonate insert pans (top), stainless steel front, top & sides, aluminum interior with stainless steel floor, front breathing, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 3.9 amps, NEMA 5-15P, UL EPH Classified, cULus, CE, Made in USA



---

**UNDERCOUNTER REFRIGERATOR**

**True Mfg. - General Foodservice**  
**Model TUC-27-HC**

Undercounter Refrigerator, 33 - 38°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA



---

**REACH-IN UNDERCOUNTER FREEZER**  
**True Mfg. - General Foodservice**  
**Model TUC-27F-HC**

Undercounter Freezer, -10°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.3 amps, NEMA 5-15P, cULus, UP EPH Classified, CE, Made in USA, ENERGY STAR®



---

**DISPLAY CASE, HOT FOOD, COUNTERTOP**  
**Nemco Food Equipment**  
**Model 6450-4**

Pizza Merchandiser, 33-7/8" x 18-1/2" x 18-1/2", rotating, 4 tier, 12" diameter racks, stainless steel construction, tempered glass case, illuminated interior, water reservoir, thermostat control up to 200°F, includes signage, 120v/60/1ph, 1480 watts, 12.4 amps, NSF



---

**DISPLAY CASE, HOT FOOD, COUNTERTOP**  
**Nemco Food Equipment**  
**Model 6475**

Heated Merchandiser, countertop, 20"W x 17"D x 26"H, (3) angled wire rack shelves, interior lighting, tempered glass panels, graphics, manual temperature & humidity controls, water reservoir, stainless steel & powder coat construction, 826 watts, 120v/60/1-ph, (contact factory for pricing)



---

**DISPLAY MERCHANDISER, HEATED, FOR MULTI-PRODUCT**  
**Nemco Food Equipment**  
**Model 6480-18**

Shelf Merchandiser, 18"W x 19-3/4"D x 21-7/8"H, aluminum dissipater plate, horizontal dual shelf, independent heat & light controls per shelf, tempered glass sides, adjustable thermostat control & divider rods, stainless steel exterior, 120V/60/1ph, 7.2 amps, 860W, NEMA 5-15P, NSF, cETLus



---

**DISPLAY CASE, HEATED DELI, COUNTERTOP**  
**Hatco**  
**Model GRCD-1PD**

Glo-Ray® Designer Heated Display Case, tempered curved glass, countertop design, (1) pan dual shelves, incandescent lighting, stainless steel interior, 4" adjustable counter legs, 860 watts, cULus, UL EPH Classified. Made in USA



---

**DISPLAY CASE, HEATED DELI, COUNTERTOP**  
**Hatco**  
**Model GRCD-2PD**

Glo-Ray® Designer Heated Display Case, tempered curved glass, countertop design, (2) pan dual shelves, incandescent lighting, stainless steel interior, 4" adjustable counter legs, 1210 watts, cULus, UL EPH Classified. Made in USA



---

**DISPLAY MERCHANDISER, HEATED, FOR MULTI-PRODUCT**  
**Hatco**  
**Model GR2SDH-24**

Glo-Ray® Designer Horizontal Display Warmer, countertop, (1) shelf (5) rods, thermostat, pre-focused infrared top heat, incandescent light, hardcoat aluminum base, tempered glass end panels, designer panels & corner caps, 820 watts, cULus, UL EPH Classified, Made in USA



---

**DISPLAY MERCHANDISER, HEATED, FOR MULTI-PRODUCT**  
**Hatco**  
**Model GR2SDH-24D**

Glo-Ray® Designer Horizontal Display Warmer, countertop, (2) shelves (10) rods, thermostat, pre-focused infrared top heat, incandescent light, hardcoat aluminum base, tempered glass end panels, designer panels & corner caps, 1640 watts, cULus, UL EPH Classified, Made in USA





---

**REFRIGERATED MERCHANDISER**  
**True Mfg. - General Foodservice**  
**Model GDM-10-HC~TSL01**

Refrigerated Merchandiser, one-section, True standard look version 01, (3) shelves, (1) Low-E thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P (depth does not include 1" for rear bumpers), cULus, UL EPH Classified, Made in USA, ENERGY STAR®



---

**OPEN DISPLAY MERCHANDISER**  
**True Mfg. - General Foodservice**  
**Model TOAM-30-HC~NSL01**

Vertical Air Curtain Merchandiser, 30"W, (4) adjustable solid white powder coated cantilever shelves with LED light strip, LED interior lighting, night cover standard, black powder coated exterior, white aluminum interior with stainless steel floor & deck pans, leg levelers, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 9.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



---

**OPEN DISPLAY MERCHANDISER**  
**True Mfg. - General Foodservice**  
**Model TAC-14GS-LD**

Vertical Air Curtain Merchandiser, 30-1/4"W x 56-3/8"H, (3) white PVC-coated shelves, LED interior lighting, vinyl exterior, plexiglass side panels, white aluminum interior with stainless steel floor/deck pans, leg levelers, 3/4 HP, 115v/60/1-ph, NEMA 5-15P, 11.2 amps, cULus, UL EPH Classified, Made in USA



---

**REFRIGERATED MERCHANDISER**  
**True Mfg. - General Foodservice**  
**Model CVM-13-HC~EGC01**

Refrigerated Merchandiser, one-section, True Edge Glass Curved version 01, (5) shelves, (1) Curved-edged glass hinged door with built-in handle, LED interior lights with illuminated handle indicator, powder coated steel exterior, black interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.5 amps, NEMA 5-15P, (depth does not include 1" for rear bumpers), cULus, UL EPH Classified, Made in USA



---

**COUNTER REFRIGERATOR**  
**True Mfg. - General Foodservice**  
**Model GDM-05PT-HC~FGD01**

Pass-thru Refrigerated Merchandiser, countertop, True standard look version 01, (2) shelves, (1 fr/1 bk) Low-E thermal glass hinged door, LED interior lighting, sign decal, black powder coated steel exterior, white aluminum interior with stainless steel floor, leg levelers, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.7 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



---

**COUNTER REFRIGERATOR**  
**True Mfg. - General Foodservice**  
**Model GDM-09-SQ-HC-LD**

Refrigerated Merchandiser, countertop, (3) shelves, (2) Low-E thermal glass sliding doors, LED interior lighting, powder coated steel exterior, white aluminum interior with stainless steel floor, leg levelers, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 1.9 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA



---

**COUNTER FREEZER**  
**True Mfg. - General Foodservice**  
**Model GDM-07F-HC~TSL01**

Freezer Merchandiser, countertop, True standard look version 01, (3) shelves, -10°F, (1) triple-pane thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, 2-1/2" legs, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.9 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA, ENERGY STAR®



---

**MICROWAVE CONVECTION OVEN**  
**ACP**  
**Model JET14**

XpressChef™ 2c Series Combination Oven, 1.2 cu. ft. capacity, 2700 watts convection, 1400 watts microwave, stackable, 200°F to 475°F (95°C-250°C) temperature range, 2.8" color LCD display, 4-stage cooking, (11) power levels, (100) memory settings, programmable timer, USB port, side hinged door, removable air filter, stainless steel interior & exterior, 208-240v/60/1-ph, power consumption: 3200 total watts, 16 amps, 20 MCA, 5 ft. cord & NEMA 6-20P, UL, ETL, NSF, CSA, FDA, cETLus, ETL-Sanitization, CE



---

**RAPID COOK OVEN**  
**ACP**  
**Model MRX1**

XpressChef™ 3i Series Combination Oven, 0.61 cu. ft. capacity, 3000 watts impingement, 1000 watts microwave, 200°F to 520°F (95°C-270°C) temperature range, stackable, 4-stage cooking, (11) power levels, (1200+) menu settings, 7" True-Touch™ HD touchscreen display, USB port, wifi & ethernet connectivity, catalytic converter filters grease laden air & vapors for ventless operation, (3) removable filters, clean filter reminder, bottom hinged pull down door, stainless steel interior, stainless steel & painted steel exterior, includes: (1) cook plate (CP10) & (1) oven paddle (PA10), 3.6kW, 208-240v/60/1-ph, 18.2 amps, cord with NEMA 6-20P, UL, ETL, NSF, CSA, FDA, ETL EU, cETLus, ETL-Sanitation, CE



---

**MICROWAVE OVEN**  
**Sharp**  
**Model R-21LCFS**

Microwave Oven, medium duty, 1000 watts, 1.0 cu. ft. capacity, stainless steel door, cavity and outer wrapper, durable side-hinged see-thru door, (1) power level, 6 minutes manual light up dial timer, timer heating-time guide, timer resets to 0 when door is opened during cooking cycle, 120v/60/1-ph, 14 amp, NEMA 5-15P, UL, NSF



---

**MICROWAVE OVEN**  
**Sharp**  
**Model R-21LVF**

Microwave Oven, medium duty, 1000 watts, 1.0 cu. ft. capacity, stainless steel door, cavity, and outer wrapper, digital programmable controls, durable side-hinged see-thru door, Express Defrost™, (1) power level, (10) computerized touch pads, double quantity, 120v/60/1-ph, 14 amp, NEMA 5-15P, UL, NSF



---

**MICROWAVE OVEN**  
**Sharp**  
**Model R-CD1200M**

TwinTouch™ Commercial Microwave Oven, 1200 watts, 0.75 cu. ft. capacity, stainless steel door, cavity & outer wrapper, dual magnetron system, programmable timer, durable side-hinged see-thru door, Express Defrost™, dual control panel, 10 computerized touch pads, 11 power levels, SelectPower™, 4-stage cooking, double & triple quantity, 120v/60/1-ph, 16 amp, NEMA 5-20P, cULus, NSF

